


CHAIN BLOCK — HSZ-A



Chain Block | Lever Block | Electric Hoist | Trolley
Webbing Sling | Cargo Lashing | G80-G100 Chain
Chain rigging | Sid Roller | Lifting Clamp | Pallet Truck...

Introduction

- Capacity ranges from 0.5t to 20t, heavy duty 30 t, 50t is availableHeavy
- Heavy duty and compact design to meet all pertinent world standard
- Reliable disc brake, premium grade alloy load chain and zinc plated hand chain as standard
- Drop-forged and expertly heat treated hooks for great strength and long wearing



Factory Live Shooting

All attached images are unretouched real photos taken in our factory, including overall product display and partial detail close-ups, allowing you to observe the product’ s performance and features intuitively from multiple dimensions.



Technical Parameters

型号 Model	HS-VL1/2	HS-VL1	HS-VL1 1/2	HS-VL2	HS-VL3	HS-VL5	HS-VL10
起重量（吨）Capacity (t)	0.5	1	1.5	2	3	5	10
标准起重高度（米）Standard lift (m)	2.5	2.5	2.5	3	3	3	3.5
试验载荷（吨）Test load (t)	0.75	1.5	2.25	3	4.5	7.5	15
两钩间最小距离（毫米）Min. distance between hooks (mm)	285	315	340	380	475	600	700
满载时手链拉力（牛顿）Chain pull to lift full load (N)	25	33	34	34	35	39	41
起重链行数No. of load chain fall lines	1	1	1	1	2	2	4
起重链条圆钢直径（毫米）Diameter of load chain (mm)	6.3	6.3	7.1	8	7.1	9	9
净重（公斤）Net weight (kg)	8.4	11	13.5	21	22	40	77
装箱毛重（公斤）Gross weight (kg)	9.4	12	14.5	22	23	41.5	85
装箱尺寸：长×宽×高（厘米）Packing measurement L×W×H (cm)	30×17×32	30×17×32	30×17×32	28×19×23	30×17×32	40×20×34	62×50×26

Contact Us

- Email: admin@kaidaolifting.com
- Facebook: <https://www.facebook.com/kaidaolift>
- Youtube: <https://www.youtube.com/@TianyeCai>
- Instagram: https://www.instagram.com/cn_caitony?igsh=MWYxcHp3anJsZDQ1ZA%3D%3D&utm_source=qr
- Tiktok: <https://www.tiktok.com/@kaidaolift>

KAIDOLIFT